

CAROL®

TAIWAN CAROL ELECTRONICS CO., LTD.

MEGAPHONE

PORTABLE TRANSISTOR MEGAPHONE

A Leading Brand of Electronic Sound Enhancement Equipment

APM-720 / APM-720C / APM-720EC

FEATURES :

- With 2 microphone sockets, enables to use 2 microphones simultaneously.
- With One auxiliary signal input socket.
- Rated power output: 10W±15%
- Impedance: 4Ω
- Effective distance: Approximate 600M
- Power source: SUM-1 Dry Cell x 8pcs (with DC12V adaptor)
- Dimension: 350x150x250 (mm)
- Weight: 2.9kg(w/o battery)
- Equipped with one MUD-326 microphone
- Equipped with one cassette player (APM-720C)
- Equipped with digital echo function and one cassette player (APM-720EC)



AHM-610
(Light-weight megaphone)



AHM-650
AHM-650S (with siren)
AHM-650W (with whistle)

MODEL SPECIFICATION	AHM-610	AHM-650/650S/650W
Power Output	0.8W±10%(Rated) 1.8W±10(Max.)	4W±10%(Rated) 6W±10(Max.)
Effective Distance	Approx. 120M	Approx. 200M
Power Source	SUM-3 dry cell x 6pcs	SUM-3 dry cell x 8pcs
Power Duration	Approx. 6 hours	Approx. 6 hours
Microphone	Anti-howling condenser microphone	Anti-howling dynamic microphone
Dimension (mm)	ø150(Horn) x 290(Length)	ø195(Horn) x 320(Length)
Weight(w/o battery)	0.6kg	1.0kg

BUSINESS & ENTERTAINMENT

CAROL®

TAIWAN CAROL ELECTRONICS CO., LTD.

MEGAPHONE

PORTABLE TRANSISTOR MEGAPHONE

A Leading Brand of Electronic Sound Enhancement Equipment



AHM-651
AHM-651 S (with siren)
AHM-651 W (with whistle)



AHM-652
AHM-652 S
AHM-652 W



AHM-652 SL (built-in siren and lamp)



AHM-661
AHM-661 S (with siren)
AHM-661 W (with whistle)

MODEL SPECIFICATION	AHM-651/651S/651W	AHM-652/652S/652W/652SL	AHM-661/661S/661W
Power Output	10W±15%(Rated) 16W±15%(Max.)	16W±15%(Rated) 20W±15%(Max.)	10W±15%(Rated) 16W±15%(Max.)
Effective Distance	Approx. 250M	Approx. 400M	Approx. 250M
Power Source	SUM-2 dry cell x 6pcs	SUM-2 dry cell x 8pcs	SUM-2 dry cell x 6pcs
Power Duration	Approx. 6 hours	Approx. 6 hours	Approx. 6 hours
Microphone	Anti-howling dynamic microphone	Anti-howling dynamic microphone	Anti-howling CB dynamic microphone,MUD-361
Dimension (mm)	ø200(Horn) x 340(Length)	ø230(Horn) x 360(Length)	ø210(Horn) x 350(Length)
Weight(w/o battery)	1.3kg	1.5kg	1.5kg

BUSINESS & ENTERTAINMENT

CAROL®

TAIWAN CAROL ELECTRONICS CO., LTD.

MEGAPHONE

PORTABLE TRANSISTOR MEGAPHONE

A Leading Brand of Electronic Sound Enhancement Equipment



AHM-662
AHM-662 S (with siren)
AHM-662 W (with whistle)



AHM-663
AHM-663 S (with siren)
AHM-663 W (with whistle)



MP-615, MP-615S, MP-615W, MP-615F



MP-625, MP-625S, MP-625W, MP-625F

MODEL SPECIFICATION	AHM-662/662S/662W AHM-663/663S/663W	MP-615/615S/615W/615F	MP-625/625S/625W/625F
Power Output	20W±15% (Rated) 25W±15% (Max.)	10Watt ± 15% (Rated) 15Watt ± 15% (Max.)	15Watt ± 15% (Rated) 25Watt ± 15% (Max.)
Effective Distance	Approx. 400M	Approx. 250M	Approx. 400M
Power Source	SUM-2 dry cell x 8pcs	SUM-2 dry cell x 8 pcs or DC 12V	SUM-2 dry cell x 8 pcs or DC 12V
Power Duration	Approx. 6 hours	Approx. 8 hours	Approx. 6 hours
Microphone	Anti-howling dynamic microphone	Anti-howling dynamic microphone	Anti-howling CB Mic MUD-363
Dimension (mm)	ø230(Horn) x 360(Length)	335 (L) x 203 (W) x 162 (H)	332 (L) x 203 (W) x 165 (H)
Weight(w/o battery)	1.5kg	1.6 kg (without batteries)	1.8 kg (without batteries)

BUSINESS & ENTERTAINMENT

CAROL®

TAIWAN CAROL ELECTRONICS CO., LTD.

MEGAPHONE

PORTABLE TRANSISTOR MEGAPHONE

A Leading Brand of Electronic Sound Enhancement Equipment



AHM-620



AHM-621



AHM-630



AHM-635

MODEL SPECIFICATION	AHM-620	AHM-621	AHM-630	AHM-635
Power Output	0.8W±10% (Rated)* 1.8W±10% (Max.)	0.8W±10% (Rated)* 1.8W±10% (Max.)	2W±15% (Rated)* 6W±15% (Max.)	2W±15% (Rated)* 6W±15% (Max.)
Effective Distance	Approx. 120M	Approx. 120M	Approx. 150M	Approx. 150M
Power Source	SUM-3 dry cell x 6pcs	SUM-3 dry cell x 6pcs	SUM-3 dry cell x 6pcs	SUM-3 dry cell x 6pcs
Power Duration	Approx. 6 hours	Approx. 6 hours	Approx. 6 hours	Approx. 6 hours
Microphone	Anti-howling condenser microphone			
Dimension (mm)	ø150 x 298	ø150 x 307	ø250 x 146 x 210	ø250 x 146 x 210
Weight (w/o battery)	0.6kg	0.6kg	0.63kg	0.63kg

* THD=10%

TAIWAN CAROL ELECTRONICS CO., LTD.
No. 202 Tung Kuang Road, Taichung, Taiwan.
Tel: +886-4-22347677 Fax: +886-4-22348698
Email: twncarol@ms2.hinet.net
www.taiwancarol.com

JAN. 2005

BUSINESS & ENTERTAINMENT